

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

16188
121603
S PTO

UTILITY PATENT APPLICATION TRANSMITTAL	Only for new nonprovisional applications under 37 C.F.R. 1.53(b)
---	---

Attorney Docket No. 0243.1040-008

First Named Inventor or Application Identifier Francesco Pompei

Express Mail Label No. EV 215729595 US

U.S. PTO
10/13/057

Title of Invention

AMBIENT AND PERfusion NORMALIZED TEMPERATURE DETECTOR

APPLICATION ELEMENTS

See MPEP chapter 600 concerning utility patent application contents.

ADDRESS TO: Mail Stop Patent Application
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

1. [] Fee Transmittal Form <i>(Submit an original, and a duplicate for fee processing)</i>	6. [] Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
2. [X] Specification Total Pages [15] <i>(preferred arrangement set forth below)</i> - Descriptive title of the invention - Cross References to Related Applications - Statement Regarding Fed sponsored R & D - Reference to sequence listing, a table, or a computer program listing appendix - Background of the Invention - Brief Summary of the Invention - Brief Description of the Drawings <i>(if filed)</i> - Detailed Description - Claim(s) - Abstract of the Disclosure	a. [] Computer Readable Form b. [] Paper Copy (identical to computer copy) [] Pages c. [] Statements verifying identity of above copies
3. [X] Drawing(s) (35 U.S.C. 113) Total Sheets [6] [X] Fig. of the Drawings for Publication [1] [] No Figure to be Published	7. [] Assignment Papers (cover sheet & documents) [X] Assignee - Exergen Corporation Watertown, Massachusetts
4. [X] Oath or Declaration Total Pages [3] a. [] Newly executed (original or copy) b. [X] Copy from a prior application (37 C.F.R. 1.63(d)) <i>(for continuation/divisional with Box 17 completed)</i> i. [] <u>DELETION OF INVENTOR(S)</u> Signed statement attached deleting inventor(s) named in the prior application, see 37 C.F.R. 1.63(d)(2) and 1.33(b).	8. [] Power of Attorney [] 37 C.F.R. 3.73(b) Statement 9. [] English Translation Document <i>(if applicable)</i>
5. [] CD-ROM or CD-R in duplicate, large table or Computer Program <i>(Appendix)</i>	10. [X] Information Disclosure Statement (IDS)/PTO-1449 [] Copies of IDS Citations 11. [] Preliminary Amendment 12. [X] Return Receipt Postcard 13. [] Small Entity Statement(s) 14a. [] Foreign Priority Claim under 35 U.S.C. §119 or 365 14b. [] Certified Copy of Priority Document(s) 15. [] Nonpublication Request <i>(check parent application)</i> 16. [X] Other <u>Copy of POA/3.73(b) from prior application and Remarks/Change of Correspondence Address</u>

17. If a CONTINUING APPLICATION, check appropriate box; supply the requisite information.

[X] Continuation [] Divisional [] Continuation-in-part (CIP) of prior application No.: 10/300,069

Prior application information: Examiner: Stanley J. Pruchnic Group Art Unit: 2859

The entire disclosure of the prior application is considered a part of the disclosure of the accompanying application and is hereby incorporated by reference.
(Add standard Related Applications section with incorporation by reference to specification or update same)

18. CORRESPONDENCE ADDRESS

NAME	Customer No. 021005 HAMILTON, BROOK, SMITH & REYNOLDS, P.C.				
ADDRESS	530 Virginia Road, P.O. Box 9133				
CITY	Concord	STATE	MA	ZIP CODE	01742-9133
COUNTRY	USA	TELEPHONE	(978) 341-0036	FAX	(978) 341-0136

Signature

Date

Submitted by
Typed or Printed Name

James M. Smith

Reg. Number

28,043

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Francesco Pompei

Continuation Application of

Application No.: 10/300,069

Filed: November 20, 2002

For: Ambient and Perfusion Normalized Temperature Detector

Date: 12/16/03

EXPRESS MAIL LABEL NO. EV215729595US

REMARKS/CHANGE OF CORRESPONDENCE ADDRESS

MS PATENT APPLICATION
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

The above-captioned application is a continuation of application number 10/300,069 filed on November 20, 2002 to which priority is claimed under 35 U.S.C. §120.

The related applications paragraph has been revised to include the parent application. No new matter has been added.

Pursuant to 37 C.F.R. 1.63(d)(4), please note that a Notice of Change of Correspondence Address was submitted in parent Application No. 09/564,403. Please send all correspondence in the above-identified continuation application to: Customer No. 021005; Hamilton, Brook, Smith & Reynolds, P.C., 530 Virginia Road, P.O. Box 9133, Concord, Massachusetts 01742-9133. In addition, please direct all telephone calls to James M. Smith at (978) 341-0036, and all facsimile communications to (978) 341-0136.

Respectfully submitted,

HAMILTON, BROOK, SMITH & REYNOLDS, P.C.

By 
James M. Smith
Registration No. 28,043
Telephone: (978) 341-0036
Facsimile: (978) 341-0136

Concord, MA 01742-9133

Dated: 12/16/03